

Product Specification	Date:	26.05.2025
Type: Polyamide 6.6 Chips Visco 4.0	Released:	P. Moritz S. Pluto

Polyamide 6.6

Property	Value	Test Method
Rel. Viscosity ⁽¹⁾	4.0 ± 0.2	Solution Viscosity (EN ISO 307)
Moisture Content	max. 0.03 %	Karl Fischer Titration (ISO 15512-B)
Yellow Index	max. 5.0	CIE LAB (DIN EN ISO/CIE 11664-4:2020-03)
Chip Size	~ 1.2 g per 50 chips	Gravimetric Measurement
Melting Point	~ 256 °C	DSC
Rel. Density	1.14	

(1) Measured in 89.75 % formic acid, the viscosity indicated corresponds to approx. 4.81 ± 0.2, when measured in sulfuric acid.

Approved by:	 TMDM/TAM	 QM
--------------	--	--

Confidentiality

The content of this specification is confidential and may not be customised to third parties without prior authorization by Indorama Ventures Mobility Obernburg GmbH.